


# METALLURGICAL MICROSCOPES (ADVANCED TYPE)



digital camera (supplied with software) and computer are optional

- Infinite chromatic aberration correction optical system
- Three way observation tube with infinite hinge
- Translucent and reflective frame, front low-hand position coarse and fine coaxial focus adjustment mechanism, with adjustment elastic device to prevent sliding and random upper limit device
- Bright and dark field five-hole converter with DIC slot
- Adopt digital dimming, with light intensity reset and setting function
- With polarizer insert plate and 360°rotating analyzer insert slot

## SPECIFICATION

Code	5108-M3000(standard type)				5108-M3000H(high-definition type)			
Eyepiece	high eye point large field SWH10X-H (view field: Ø25mm, adjustable visibility)							
Objective (infinite long working distance bright and dark field semi achromatic)	5X	10X	20X	50X	5X	10X	20X	50X
Working distance	15mm	8.4mm	10.3mm	3.0mm	20mm	11mm	3.0mm	1.0mm
Numerical aperture	0.15	0.30	0.40	0.75	0.15	0.30	0.45	0.80
Optical magnification	50X~500X(up to 1000X with optional 100X objective)							
Digital magnification	170X~1700X(on 21.5" monitor), up to 3400X with optional 100X objective							
Stage	double layer							
	size: 310×240mm travel: 150×100mm							
Condenser	roll-out achromatic condenser (numerical aperture 0.9)							
Illumination	5W LED, transmitted and reflected							
Observation Tube	inverse image, distance adjustment: 50~76mm, two grade spectral ratio binocular: trinocular=100: 0							
Diopter adjustment	±5 diopter (two eyepieces)							
Power Supply	AC 100-240V							
Dimension (L×W×H)	310×600×500mm							
Weight	27kg							

## STANDARD DELIVERY

Main unit	1 pc
Anti-dust cover	1 pc
0.65X camera adapter(adjustable focus)	1 pc
Polarizer and analyzer	1 pc of each

## OPTIONAL ACCESSORY

Camera and software	ISM-CM63
Glass calibration rule	ISM-MAS-SCALE
Computer	5108-M-COMPUTER
2.5X infinite long working distance bright field semi achromatic objective	5108-M-OB2D5X
100X infinite long working distance bright and dark field semi achromatic objective	5108-M-BD100X
50X infinite long working distance bright and dark field achromatic objective	5108-M-APO50X
100X infinite long working distance bright and dark field achromatic objective	5108-M-APO100X
Differential interference module(DIC)	5108-M-DIC