


COUNTING SCALES

DATA
OUTPUT

- Double weighing pan in stainless steel and plastic
- Counting, quantity setting, single weight setting
- Zero-setting, checking alarm, accumulation, taring
- Aluminium alloy base
- Strain balance sensor
- Data output
- Unit: kg, lb



8107-3



SPECIFICATION

Code	8107-3	8107-6	8107-15	8107-30
Maximum weighing	3kg	6kg	15kg	30kg
Minimum weighing	2g	4g	25g	20g
Resolution (d)	0.1g	0.2g	0.5g	1g
Verification interval (e)	1g	1g	1g	10g
Accuracy (m is load)	m≤500g: ±0.5g 500g<m≤2kg: ±1g m>2kg: ±1.5g	m≤500g: ±0.5g 500g<m≤2kg: ±1g m>2kg: ±1.5g	m≤5kg: ±0.5g m>5kg: ±1g	m≤5kg: ±5g 5kg<m≤20kg: ±10g m>20kg: ±15g
Output	RS232			
Operation temperature	0~40°C			
Operation humidity	≤80%RH			
Power supply	Input voltage: 220V, rechargeable lead acid battery (6V/4Ah)			
Dimension of pan	300×224mm			



printer (optional)

OPTIONAL ACCESSORY

RS232 cable	8301-CABLE*
Printer	8303-PRINTER
Data output cable (keyboard format)	7302-8001 page 14
Wireless transmitter (need receiver)	7315-8301 page 6

* Used to connect with computers