# HIGH MAGNIFICATION MEASURING MICROSCOPE (WITH DISPLAY) CODE ISM-DL302

**OBSERVATION AND MEASURMENT** AT HIGH MAGNIFICATION







calibration plate (included)



16G USB flash disk (included)





0.5X camera adapter (included)



1X camera adapter (optional)

- 1080P high-definition image
- Maximum 1000X optical magnification (using camera adapter 1X, optional)
- Built-in software without computer, operated by mouse
  Solid base and column to avoid lens shaking during focusing
- Software is included

#### **SPECIFICATION**

Magnification	78X~504X	
Sensor	1/2" CMOS	
Pixel	2M	
Resolution	1920×1080	
Frame rate	60fps	
Output	HDMI	
Power supply	power adapter	
Dimension (L×W×H)	570×300×430mm	
Weight	15kg	

## SATNDARD DELIVERY

O	·····		
Main unit	1 pc		
0.5X camera adapter	1 pc		
4.5X auxiliary objective	1 pc		
Calibration plate	1 pc		
16G USB flash disk	1 pc		
Mouse	1 pc		
HDMI cable	1 pc		
X-Y metal stage	1 pc		

#### **OPTIONAL ACCESSORY**

1X camera adapter	ISM-DL-CA1X
LED light	

### **MAGNIFICATION AND MEASURING ACCURACY**

Objective magnification	Image magnification	Measuring accuracy
0.75X	78X	±5µm
1X	102X	±4µm
1.5X	153X	±4µm
2X	204X	±4µm
2.5X	255X	±4µm
3X	305X	±4µm
3.5X	356X	±4µm
4X	408X	±4µm
4.5X	458X	±4µm
5X	504X	±4µm

## MAGNIFICATION, FOCUS DISTANCE AND VIEW FIELD

Camera adapter	0.5X (included)	1X (optional)
Magnification	78~504X	156~1008X
Focus distance	14±2mm	14±2mm
View field	2.8×1.7~0.5×0.3mm	1.4×0.9~0.3×0.2mm